



BioIdea Order No. _____

Mold and Water Sample Submission Form

Contact person:	Alternat. phone:
Company:	Alternat. email:
Address1:	Project name:
Address2:	Your project No.:
City: State: ZIP:	Proj. address 1:
Cell phone: Bus. phone:	Proj. address 2:
Email: Fax:	Sampling date:

Mold and Water Testing Methods: **Live Mold on Medium Plates (M30 series):**

Air Cassettes (M10 series):

- M11 Air-O-Cell (Zefon);
- M12 Allergenco (EMS);
- M13 Cyclex-D (EMS);
- M14 Micro5 (EMS);
- M15 Bio-Cell (GrafTech);
- M19 Customer defined cassette;

- M31 Anderson impactors (use a vacuum pump);
- M32 Stationary plates (without using a vacuum pump);
- M33 Derived from Swabs, Tapes, and Bulk samples;
- M34 *Aspergillus* species determination (culture only);
- M35 *Penicillim* species determination (culture only);
- M36 *Stachybotrys* species determination (culture only);
- M37 *Cladosporium* species determination (culture only);
- M39 Customer defined species determination (culture);

Surface Materials (M20 series):

- M21 Direct exam (Tape samples);
- M22 Direct exam (Bulk samples);
- M23 Direct exam (Swab samples);

Drinking Water Testing: (*24-28 hr turn-around only)

- W11 Bacterial total coliform presence or absence;
- W12 *E. coli* (*Escherichia coli*) presence or absence;

Turn-Around Time (*Apply to mold samples. *Water samples use 24-28 hr turn-around only):

Rush 3-7 hr same-night turn-around | 2nd-day at night turn-around | 3rd-day at night | 4th-7th day at night

Sample No.	Sample location	Air volume (liters); Water >100 ml	Sample type	Testing Method	Turn-around Time*

Relinquished by _____ Date _____; Received by _____ Date _____

